

TRIPLE MANIFOLD Series/Parallel Configuration Water Filtration

Double Manifold Part #: KP-300-779SP


Replacement Cartridge: KPMF SED620

(2) Replacement Cartridges: KPMF HC620

29"



Series/Parallel Manifold Configuration



APPLICATIONS









Fountain

Coffee/Tea

Ice Machine

Drinking water

Volume: High

29"

DESIGNED TO

- Improve taste of fountain beverages, coffee-tea, ice and drinking water.
- Provide clean ingredient water to your operations
- Reduce chlorine, chloramine, undesirable taste & odor, class 1 particulates, cysts and sediment

PERFORMANCE

Chlorine Capacity	200,000 gal @ 20 GPM
Chloramine Capacity	70,000 gal @ 3.4 GPM
Micron Rating	10/1 (Sed/Carbon)
Min./Max. Pressure	40-100 psi
Min./Max. Temp.	40°-100°F
Inlet/Outlet Size	3/4" FNPT
Shipping Weight	35 lb
Dimensions (W/D/H)	29" x 9" x 29"

Performance may vary based on local water conditions

FEATURES & BENEFITS

- 100% activated, hollow carbon with no binding agent delivering high capacities and flow rates with minimal pressure drop
- Turbo Flow technology evenly distributes water flow and helps to reduce plugging
- Engineered polymer construction for high durability and extended service life
- Modular design allows for easy capacity expansion
- Safeguards your equipment from effects of sediment, dirt and debris, preserves filter life and helps to reduce equipment downtime
- Delivers optimal taste and clarity of your beverage water specifications and improves clarity of your ice to enhance guest satisfaction.



System Tested and Certified by NSF International against NSF/ANSI Standards 42 for reduction of Chlorine, Taste and Odor, Particulate Reduction, Class I (0.5-1.0 micron), NSF/ANSI Standard 401 for the reduction of Microplastics, and CSA Standard B483.1.

Treated water